



Coleford Town Council

Amenities Committee Tuesday 10 December 2019 Minutes

Public Forum

There were no members of the public present

Attendees: Cllrs Lusty, M Cox, Elsmore, Penny, & Holloway

1. There were no apologies
2. There were no declarations of interests
3. There were no dispensation requests
4. The minutes of 12 November 2019 were noted
5. **To refer to the minutes of 12 November 2019**

Items covered on this agenda

6. **To have an update on the parish phone boxes**

Cllr Penny summarised, and the Town Clerk's update was noted re: defibrillators, and the schedule of work re: other kiosks in the spring.

7. **To make recommendation re latest BT Phone box consultation**

Cllr. Penny summarised and, after further discussion:

Recommendation:

That the kiosk on Lords Hill is not decommissioned, as it is now the only one still 'live' in Coleford town centre.

8. **To make recommendation re street lights in Mushet Walk with solar panels.**

Recommendation:

That, subject to pricing, solar lights are purchased, and permission is sought from the landlord, for installation.

That the existing Victorian lights remain.

9. **To make recommendation to progress Stepbridge replacement play equipment**

Recommendation:

That, the council move forward with the preferred company, subject to negotiation, and for a meeting to be scheduled, to discuss fixed price, signage, and installation date.

That, once the company are contracted, a working group is established, to oversee the project.

10. **To make recommendation re the control of the pigeons in the town centre.**

Recommendation:

That the Town Clerk investigates costs, to agree a deterrent solution, to be agreed at next Full Council.

To make recommendation re quote for Landscape Management Plan work

Recommendation:

That the Town Clerk discusses further, re: scope of work, to take account of existing data in Coleford Neighbourhood Development Plan (NDP), and to agree a new price for the immediate needs. To be discussed 'in Committee' at Full Council.